

Cylindrical Knob Set



Model:

G 9600

One Piece Knob

G 9621



Solid Brass Cylinder & Housing

Specification


- Push in button function
- Cylindrical body provides great strength and durability
- Cylinder knob removable for rekeying or replacement
- High precision-resistant 5-pin tumbler solid brass cylinder. Brass key nickel plated. Can be constructed keyed and master keyed as required
- 70mm Diameter rose and mechanism adjustment for various door thickness
- 12mm Throw dead latch completely reversible for flat and bevelled doors. Steel latch shell
- One-piece knob stainless steel or brass
- Standard backset 60mm

Finishing

- M5** - Antique Brass
- M10B** - Oil Rubbed Bronze
- M11** - Antique Copper
- M26D** - Satin Chrome
- PVD** - Physical Vapor Deposition

Function


G 9621



Entrance/Office Lock

Turn/push button locking. Pushing and turning button locks outside knob requiring use of key until button is manually unlocked. Pushing button locks outside knob until unlocked with key or inside knob is turned. The inside knob is always unlocked providing emergency exit.


G 9622



Privacy Lock

Latch bolt operated by knob from either side knob is locked by push button inside and unlocked by emergency release outside, rotating inside knob or closing door. The inside knob is always unlocked providing emergency exit.


G 9623



Passage/Hall/Closet

Bolt knobs are always unlocked from inside and outside.

Diagram



Stock Code	Packing	Weight
G 9621	24 pcs	20 kgs
G 9622	24 pcs	18.5 kgs
G 9623	24 pcs	18.5 kgs



SIRIM
CERTIFIED TO: ANSI/BHMA A 156.2:2003
Certification No: PC000359

Meets underwriter's laboratories criteria.
Specially designed for Standard Duty
Certified to ANSI/BHMA A 156.2:2003 Sirim approval, Grade 3.
Exceeds 200,000 cycles. Certification No: PC000359

Packing - Double blister pack